

# Notice of Allowability

Application No.

10/621,224

Examiner

Eric Hug

Applicant(s)

BEISSWANGER ET AL

Art Unit

1731

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on February 7, 2005.
2. ☒ The allowed claim(s) is/are 1-31.
3. ☒ The drawings filed on 16 July 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☒ Certified copies of the priority documents have been received in Application No. 09/902,339.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

***Response to Amendment***

The following is in response to the amendment filed on February 7, 2005.

***Allowable Subject Matter***

Claims 1-31 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art does not disclose or suggest a method of transferring flexible web material from an upstream machine section to a downstream machine section, whereby the web is separated into an edge strip, a transfer strip, and adjoining web portion, and then the edge strip is simultaneously tautened and deflected to the side of and away from the transfer strip. In prior art methods, the edge strip is dropped to waste without deflection and tautening, and all actions are rather performed on the transfer strip.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Response to Arguments***

Applicant's arguments filed February 7, 2005 have been fully considered.

Upon reconsideration of the prior art of record, it is the examiner's position that the supporting references Liedes (US 4,923,567), Devlin (3,355,349), and Nieminen (US 4,997,524) do not teach deflecting and/or tautening an edge strip adjacent to a transfer strip. In the above references, the edge strip is identically the transfer strip, cut from the remaining web portion, and all actions are performed to transfer the edge strip into a downstream machine section. In the present invention, the edge strip is acted upon, but not as a transfer strip, and not to transfer to a downstream machine portion. Accordingly, the rejection of claims 1-31 under 35 U.S.C. 103(a) over Kuhasalo (WO 98/33974) in view of Liedes, Devlin, or Nieminen has been withdrawn.


The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 1731

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric Hug whose telephone number is 571 272-1192. The examiner can normally be reached on Monday through Friday, 10:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on 571 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
jeh